

UDAY[®]
GRANITO



www.udaygranito.com

Endless statuario
COLLECTION




COMPANY STATISTICS

5000+
Happy Clients

40+
Export Countries

250+
Creative Design

We designed and produced ceramic surfaces in size of 600x1200mm where pragmatism meets beauty, innovation completes tradition, and technology is shaped to human needs.



Elevate Your Space with Carving Tiles:
Where Art Meets Architecture.

Endless Beauty

SURFACE EXPLOIT ALL ARCHITECTURAL AND CREATIVE POTENTIAL.

The Carving collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential. Strong shade variation, sharp patterns and a high tactile vocation transmit a vibrant and modern atmosphere to interiors.

www.udaygranito.com



**GLOSSY
SURFACE**
with Endless Beauty

APPLICATIONS + FEATURES

Shades of neutral tones and refined surfaces of timeless simplicity. The perfect synthesis of design, versatility and leading-edge technology, to meet all needs: indoors and outdoors, in residential projects and in the most widely varying commercial and public locations.



TILES FEATURES



Lightweight
Easily
Handled
Slabs



Resistance
To Deep
Abrasion



Resistant
To Thermal
Shock



Resistance
To Acids
And Bases



Does Not
Absorb
Liquids



Frost
Resistance



Fire
Resistance



Easy
Cleaning




Stain
Resistance



Easy To
Install



Hygienic



PRODUCT INDEX



Click on the slabs
below to view
their separators.



ACRON NATURAL



ATLI GREY



BONTA GREY



CARL BLUE



CENTRA GREY



FIGER MULTI



GINA NATURAL




JORDAN NATURAL



LEROX NATURAL



LIVON NATURAL



MADITA GREY



NILECA GREY



PULLA GREY



PARKER GREY




PARLA NATURAL




PENDORA NATURAL




RIZA GREY




ROX NATURAL



SASTER BLUE



SASTER GREEN



SINDEL BROWN



SNOTA GREY

PRODUCT INDEX



Click on the slabs
below to view
their separators.



VENATI GREY



TANGO GREY



TANGO BLACK



VALING BLUE



VALING BLACK



VALING BROWN



VITRO GREY



VESTAL BROWN



VESTAL GREY

ACRON NATURAL



ATLI GREY



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 03

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book

Wall & Floor:
ATLI GREY

Surface:
GLOSSY

BONTA GREY



BONTA NATURAL



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 04

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book

Floor
BONTA GREY

Surface:
GLOSSY


Endless Statuario
Collection



CARL BLUE



CARL GREY



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book

Floor
CARL GREY

Surface:
GLOSSY

CENTRA GREY



CENTRA BLUE



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 04

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES






#Product Book

Wall & Floor:
CENTRA BLUE

Surface:
GLOSSY

FIGER MULTI



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

GINA NATURAL



TILES FEATURES



www.udaygranito.com






#Product Book

Floor
FIGER MULTI

Surface:
GLOSSY

JORDAN NATURAL



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

LEROX NATURAL



www.udaygranito.com

TILES FEATURES





#Product Book

Wall & Floor:
LEROX NATURAL

Surface:
GLOSSY

LIVON NATURAL



MADITA GREY



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 04

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book


Wall & Floor:
MADITA GREY

Surface:
GLOSSY


Endless Statuario
Collection



NILECA GREY



PULLA GREY



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book

Floor
NILECA GREY

Surface:
GLOSSY

PARKER GRAY



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

PARLA NATURAL



www.udaygranito.com

TILES FEATURES





#Product Book


Wall
PARKER GRAY

Surface:
GLOSSY

PENDORA NATURAL



PENDORA VERDE



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book

Wall & Floor:
PENDORA NATURAL

Surface:
GLOSSY

Endless Statuario
Collection



RIZA GREY



ROX NATURAL



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES






#Product Book

Wall & Floor:
ROX NATURAL

Surface:
GLOSSY

SASTER BLUE



SASTER GRAY



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 03

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES






#Product Book

Floor
SASTER BLUE

Surface:
GLOSSY

SASTER GREEN



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 03
THICKNESS : 9MM

SINDEL BROWN



www.udaygranito.com

TILES FEATURES





#Product Book

Wall & Floor:
SINDEL BROWN

Surface:
GLOSSY

SNOTA GREY



VENATI GREY



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 04

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES






#Product Book


Wall & Floor:
VENATI GREY

Surface:
GLOSSY

TANGO GREY



TANGO BLACK



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES






#Product Book


Wall & Floor:
TANGO BLACK

Surface:
GLOSSY

VALING BLUE



VALING BLACK



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book


Wall & Floor:
VALING BLACK

Surface:
GLOSSY


Endless Statuario
Collection



VALING BROWN



VITRO GREY



Size : 600X1200MM
Finish : GLOSSY

RANDOM : 04
THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES






#Product Book

Wall & Floor:
VALING BROWN

Surface:
GLOSSY

VESTAL BROWN



VESTAL GREY



Size : 600X1200MM

Finish : GLOSSY

RANDOM : 04

THICKNESS : 9MM

www.udaygranito.com

TILES FEATURES





#Product Book

Floor
VESTAL BROWN

Surface:
GLOSSY

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF UDAY	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

UDAY[®]
GRANITO

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)

UDAY GRANITO LLP

Sr. No. 81 & 86 p2, 8-A National Highway,
Sartanpar Road, At: Ratavirda - 363621 Tal: Wakaner,
Dist: Morbi, Gujarat, India.

www.udaygranito.com

info@udaygranito.com

+91 99099 72245

+91 98253 23287