

UDAY[®]
GRANITO

STATUARIO
COLLECTION

600x1200mm
www.udaygranito.com

About us

UDAY GRANITO is a leading provider of high-quality ceramic tiles, specializing in the production and distribution of tiles sized 600x1200mm. With years of experience in the industry, we have established ourselves as a trusted name known for our commitment to quality, innovation, and customer satisfaction.

At UDAY GRANITO, we understand the importance of selecting the perfect tiles to enhance your spaces. Our extensive range of ceramic tiles offers a wide variety of designs, colors, and finishes to suit every style and preference. Whether you're looking for sleek and modern tiles for a contemporary space or timeless classics for a more traditional setting, we have the perfect solution for you.

We take pride in our state-of-the-art manufacturing facilities and cutting-edge technology, allowing us to produce tiles that meet the highest standards of durability, strength, and aesthetic appeal. Our tiles are crafted using premium quality materials and undergo rigorous quality control measures to ensure superior performance and longevity.

Company statistics

1000+

Happy Clients

30+

Export Countries

250+

Creative Design






WHERE INNOVATION MEETS TECHNOLOGY

Where innovation meets technology, our tile solutions redefine the possibilities for your space. With cutting-edge designs and advanced manufacturing techniques, our tiles combine the best of both worlds. Experience the seamless integration of style and functionality, pushing the boundaries of design with our innovative tile solutions.





Statement making
and **artistic look**
of **Statuario**
glossy effect

Features



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



Removable &
Reuse



Easy to
Install



Chemical
Resistance



Ecological
Finish



Fire
Proof

**LARGEST
PRODUCTION CAPACITY**

**GVT & PGVT
600X1200MM**

The UDAY GRANITO large-sized slabs are ideal for surfaces that demand maximum hygiene, strength and aesthetic harmony.


DIMENSION
600x1200 mm
2'x4' | 24"x48"

FINISH
POLISHED GLOSSY
SURFACE

UDAY[®]
GRANITO




ANTIQUE
STATUARIO




ASTER
GRAY




AURO
SATUARIO



CAMILLE
WHITE



CATTA
GOLD




COSMOX
BLUE



COSMOX
WHITE



ECO
WHITE




ENTRIC
BLACK



FITANA
BLACK




FITANA
BROWN



FLAKE
GRAY



FROSTY
GRIS



FROZEN
NERO



GEMI
BLACK



GRANDE
BAIGE



IRIX
GRAY



JAPER
GRAY



MARIK
WHITE



MERO
GRAY



MESTO
GOLD



MILAN
BROWN



MILAN
GRAY



NEUTRAL
WHITE




OBLIC
WHITE



PALACE
GOLD



PANDA
BLACK



PESTO
CARRARA



PRISA
GRAY



PULIS
GRAY



SIGNUM
GOLD



SONIX
STATUARIO



SOUL
STATUARIO



SPARE
GRAY




SPARE
VITA



STATUARIO
ORRA


ANTIQUE STATUARIO




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




ASTER GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






AURO SATUARIO




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




CAMILLE WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






CATTA GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



COSMOX BLUE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





COSMOX WHITE




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



ECO WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






ENTRIC BLACK




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




FITANA BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






FITANA BROWN




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




FLAKE GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





FROSTY GRIS




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



FROZEN NERO



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





GEMI BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




GRANDE BAIGE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






IRIX GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




JAPER GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






MARIK WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




MERO GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






MESTO GOLD





DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



MILAN BROWN



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




MILAN GRAY




DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




NEUTRAL WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






OBLIC WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




PALACE GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






PANDA BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




PESTO CARRARA



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






PRISA GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




PULIS GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






SIGNUM GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




SONIX STATUARIO



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






SOUL STATUARIO



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




SPARE GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






SPARE VITA



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




STATUARIO ORRA



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






VENATO NATURAL



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





FLEXURAL RESISTANCE

It has the ability to resist deformation under load. It deforms significantly but does not break



FROST PROOF

they are porous and absorb water easily. These tiles have relatively high frost resistance.



EAR RESISTANCE

It is the core feature it helps to give the perfect finish to edges while cutting.



SCRATCH RESISTANCE

It is highly recommended for its scratch resistance property.



THERMIC IMPACT RESISTANCE

This provides the surface to tolerate the impact of objects falling on them.



SLIP RESISTANCE

Our tiles have an abrasive grit on their surface, increasing their slip resistance significantly.



STAIN RESISTANCE

It is durable and easier to clean and retain the original exquisiteness every time.



CHEMICAL RESISTANCE

Its highly resistant to harsh chemical agents like alkalis, acids, household chemicals, and swimming pool salts.



ABSORPTION RESISTANCE

Our tiles are coated with liquid glass and hence absorb less water.



EASY TO CLEAN

It's highly convenient as it is easy to clean and it provides comfort with ease.



EASY TO INSTALL

This creation is super easy to apply it can be applied without any tool or laying instructions.



ECO LOGICAL

We are committed to the environment and recognize that sustainability is a significant and crucial part of our journey.



TECHNICAL SPECIFICATION

We are delighted to introduce our latest line of high-quality tiles, designed to meet the exacting standards of our esteemed clientele. we pride ourselves on delivering superior products that combine functionality, durability and aesthetic appeal.

600X1200MM

TILES IN EVERY SPACE

We understand that choosing the right tiles for specific application areas is crucial for achieving both functionality and aesthetic appeal. That's why we're delighted to introduce you to our comprehensive selection of tiles designed to excel in various environments:



Dining Hall



Bedroom



Bathroom



Living Room



SPA



Restaurant



Airport



Railway Station



Outdoor



Swimming Pool Area



Garden Area




Parking Area


600X1200MM




LAYING INSTRUCTION




DRY LAYING
**ON
GRASS**



LAYING ON
GARVEL



LAYING ON
**SCREED
WITH ADHESIVE**



LAYING ON
**RAISED
FLOOR**



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/EN14411 Gr.Bla	MEAN VALUE OF UDAY	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

UDAY[®]
GRANITO

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)

UDAY GRANITO LLP

Sr. No. 81 & 86 p2, 8-A National Highway,
Sartanpar Road, At: Ratavirda - 363621 Tal: Wakaner,
Dist: Morbi, Gujarat, India.

www.udaygranito.com

info@udaygranito.com

+91 99099 72245

+91 98253 23287