

**UDAY**<sup>®</sup>  
GRANITO



**Wood-era**  
COLLECTION



#### COMPANY STATISTICS

**5000+**  
Happy Clients

**40+**  
Export Countries

**250+**  
Creative Design

We designed and produced ceramic surfaces in size of 600x1200mm where pragmatism meets beauty, innovation completes tradition, and technology is shaped to human needs.



Elevate Your Space with Woodern Tiles:  
Where Art Meets Architecture.

# Wooden Beauty

---

## **SURFACE EXPLOIT ALL ARCHITECTURAL AND CREATIVE POTENTIAL.**

The Wood collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential. Strong shade variation, sharp patterns and a high tactile vocation transmit a vibrant and modern atmosphere to interiors.

[www.udaygranito.com](http://www.udaygranito.com)







# APPLICATIONS + FEATURES

Shades of neutral tones and refined surfaces of timeless simplicity. The perfect synthesis of design, versatility and leading edge technology, to meet all needs: indoors and outdoors, in residential projects and in the most widely varying commercial and public locations.



[www.udaygranito.com](http://www.udaygranito.com)

## TILES FEATURES

-  Lightweight Easily Handled Slabs
-  Resistance To Deep Abrasion
-  Resistant To Thermal Shock
-  Resistance To Acids And Bases
-  Does Not Absorb Liquids
-  Frost Resistance
-  Fire Resistance
-  Easy Cleaning
-  Stain Resistance
-  Easy To Install
-  Hygienic



# PRODUCT INDEX



Click on the slabs  
below to view  
their separators.



CARGO  
TAN



DACOTA  
BEIGE



EKHA  
NATURAL



EXERA  
BLACK



MEMPHIS  
CHOCO



NAPTA  
NATURAL



ROMIT  
BROWN



RUSSET  
BROWN



RUSSET  
IRON



SANZO  
BROWN



SANZO  
GREY



SILRA WOOD  
NATURAL



SILRA WOOD  
SILVER



TALOKAN  
DARK



TAMLA  
BROWN




TAMLA  
GREY



Size : 600X1200MM  
Finish : MATT

RANDOM : 03  
THICKNESS : 9MM

## CARGO TAN





#Product Book

Floor:  
CARGO TAN

Surface:  
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## DACOTA BEIGE







#Product Book

Floor:  
DACOTA BEIGE

Surface:  
MATT

**UDAY**  
GRANITO



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## EKHA NATURAL



[www.udaygranito.com](http://www.udaygranito.com)

**Wood-era**  
COLLECTION



#Product Book

Floor:  
EKHA NATURAL

Surface:  
MATT



**EXERA BLACK**



Size : 600X200MM  
Finish : MATTE


RANDOM : 03  
THICKNESS : 9MM



#Product Book

Floor:  
EXERA BLACK

Surface:  
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

## MEMPHIS CHOCO





#Product Book

Floor:  
MEMPHIS CHOCO

Surface:  
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## NAPTA NATURAL








#Product Book

Floor:  
NAPTA NATURAL

Surface:  
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## ROMIT BROWN





#Product Book

Floor:  
ROMIT BROWN

Surface:  
MATT



Size : 600X1200MM  
Finish : MATT

RANDOM : 03  
THICKNESS : 9MM

## RUSSET BROWN





#Product Book

Floor:  
RUSSET BROWN

Surface:  
MATT

**UDAY**  
GRANITO



Size : 600X1200MM  
Finish : MATT

RANDOM : 03  
THICKNESS : 9MM

## RUSSET IRON



[www.udaygranito.com](http://www.udaygranito.com)

**Wood-era**  
COLLECTION



#Product Book

Floor:  
RUSSET IRON

Surface:  
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## SANSO BROWN








#Product Book

Floor:  
SANSO BROWN

Surface:  
MATT




Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## SANSO GREY





#Product Book

Floor:  
SANSO GREY

Surface:  
MATT

**UDAY**  
GRANITO



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## SILRA WOOD NATURAL



[www.udaygranito.com](http://www.udaygranito.com)

**Wood-era**  
COLLECTION



#Product Book

Floor:  
SILRA WOOD  
NATURAL

Surface:  
MATT



Size : 600X1200MM

Finish : MATT

RANDOM : 04

THICKNESS : 9MM

## SILRA WOOD SILVER





#Product Book

Floor:  
SILRA WOOD  
SILVER

Surface:  
MATT




Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

## TALOKAN DARK








#Product Book

Floor:  
TALOKAN DARK

Surface:  
MATT

**UDAY**  
GRANITO



Size : 600X1200MM

Finish : MATT

RANDOM : 03

THICKNESS : 9MM

## TAMLA BROWN



[www.udaygranito.com](http://www.udaygranito.com)

**Wood-era**  
COLLECTION



#Product Book

---

Floor:  
TAMLA BROWN

Surface:  
MATT



Size : 600X1200MM  
Finish : MATT

RANDOM : 03  
THICKNESS : 9MM

## TAMLA GREY





#Product Book

Floor:  
TAMLA GREY

Surface:  
MATT

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE OF UDAY	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
<b>Structural Properties</b>			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 30.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

**UDAY**<sup>®</sup>  
GRANITO

## PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)

## UDAY GRANITO LLP

Sr. No. 81 & 86 p2, 8-A National Highway,  
Sartanpar Road, At: Ratavirda - 363621 Tal: Wakaner,  
Dist: Morbi, Gujarat, India.

[www.udaygranito.com](http://www.udaygranito.com)

[info@udaygranito.com](mailto:info@udaygranito.com)

+91 99099 72245

+91 98253 23287